

166

AUSTRALIAN JOURNAL
OF
AGRICULTURAL RESEARCH

VOLUME 21

MELBOURNE
1970

AUSTRALIAN JOURNAL OF AGRICULTURAL RESEARCH

A medium for the publication of results of original investigations in the broad field of scientific research on plants, soils, and domestic animals, covering physical, chemical, and biological aspects of this field.

Published by the Commonwealth Scientific and Industrial Research Organization.
Issued six times a year, \$A4 per annum.

BOARD OF STANDARDS

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of Professor C. W. Emmens (Chairman), Mr. A. E. Scott (Editor-in-Chief), Professor D. G. Catcheside, Professor C. M. Donald, Dr. S. D. Hamann, and Professor C. B. O. Mohr.

ADVISORY COMMITTEE

Acceptance of papers for this Journal is in the hands of an Advisory Committee appointed by the Board of Standards in consultation with the Australian Institute of Agricultural Science and the Australian Veterinary Association and consisting of Mr. A. E. Scott (Editor-in-Chief and Chairman), Professor D. C. Blood, Professor F. L. Milthorpe, Professor T. J. Robinson, Professor R. O. Slatyer, Professor D. E. Tribe, and Professor I. A. Watson.

All enquiries and manuscripts should be forwarded to:

The Editor-in-Chief,
Editorial and Publications Section, CSIRO,
Sixth Floor,
372 Albert Street,
East Melbourne, Victoria 3002

CONTENTS

NUMBER 1, JANUARY 1970

	PAGE
Multivariate analysis approach to selection of parents for hybridization aiming at yield improvement in self-pollinated crops. By G. M. Bhatt	1
The effects of plant density and frequency of cutting on the growth of cocksfoot (<i>Dactylis glomerata</i> L.). I. The production of vegetative and reproductive tillers. By R. Knight	9
Some factors influencing the germination and early seedling development of pasture plants. By J. R. McWilliam, R. J. Clements, and P. M. Dowling	19
The comparative rates of phosphate absorption by eight annual pasture species. By J. Keay, E. F. Biddiscombe, and P. G. Ozanne	33
Nodulation and nitrogen fixation by <i>Vigna sinensis</i> and <i>Vicia atropurpurea</i> : the influence of concentration, form, and site of application of combined nitrogen. By P. J. Dart and D. C. Wildon	45
A numerical analysis of variation patterns in Australian introductions of <i>Glycine wightii</i> (<i>G. javanica</i>). By L. A. Edye, W. T. Williams, and A. J. Pritchard	57
Distribution in the sheep of selenium derived from ⁷⁵ Se-labelled ruminal pellets. By K. A. Handreck and K. O. Godwin	71
Utilization by sheep of casein administered per duodenum at different levels of roughage intake. By A. R. Egan	85
The effects of intravenous urea infusions on nitrogen metabolism in sheep. By K. H. McIntyre and V. J. Williams	95
Fertilization, sperm transport, and early embryonic loss in ewes grazed on cultivars of subterranean clover (<i>T. subterraneum</i>). By C. C. Kaltenbach and H. Lloyd Davies	107
The genetic basis of growth, reproduction, and maternal environment in Romney ewes. I. Genetic variation in hogget characters and fertility of the ewe. By T. S. Ch'ang and A. L. Rae	115
Factors affecting the urinary excretion of urea nitrogen in cattle. I. Sodium chloride and water loads. By R. F. Thornton	131
Factors affecting the urinary excretion of urea nitrogen in cattle. II. The plasma urea nitrogen concentration. By R. F. Thornton	145

NUMBER 1, JANUARY 1970 (*Continued*)

	PAGE
The effect of pregnant mare serum gonadotrophin (PMS) on ovarian function of beef heifers, as influenced by progestins, plane of nutrition, and fasting. By D. R. Lamond	153
Resistance to the cattle tick, <i>Boophilus microplus</i> in a herd of Australian Illawarra Shorthorn cattle: its assessment and heritability. By R. H. Wharton, K. B. W. Utech, and H. G. Turner	163
Corrigendum	182

NUMBER 2, MARCH 1970

Studies on the productivity of tropical pasture plants. II. Growth analysis, photosynthesis, and respiration of 20 species of grasses and legumes in a controlled environment. By M. M. Ludlow and G. L. Wilson	183
Seasonal changes in growth and nodulation of perennial tropical pasture legumes in the field. I. The influence of planting date and grazing and cutting on <i>Desmodium uncinatum</i> and <i>Phaseolus atropurpureus</i> . By P. C. Whiteman and Ann Lulham	195
Seasonal changes in growth and nodulation of perennial tropical pasture legumes in the field. II. Effects of controlled defoliation levels on nodulation of <i>Desmodium intortum</i> and <i>Phaseolus atropurpureus</i> . By P. C. Whiteman	207
Seasonal changes in growth and nodulation of perennial tropical pasture legumes in the field. III. Effects of flowering on nodulation of three <i>Desmodium</i> species. By P. C. Whiteman	215
Sensitivity of annual <i>Medicago</i> species to manganese toxicity as affected by calcium and pH. By A. D. Robson and J. F. Loneragan	223
Chemical control of flower development in sweet orange (<i>Citrus sinensis</i>). By G. I. Moss	233
Fertilizer responses with non-irrigated Shiraz grapevines, 1944-1966. By H. W. Tulloch and W. B. Harris	243
Nutrient cycling in grazed pastures. II. Further observations with [³⁵ S]gypsum. By A. R. Till and P. F. May	253
The body composition and herbage utilization of grazing Merino and cross-bred lambs during periods of growth and summer undernutrition. By W. G. Allden	261
Water economy and food intake of sheep when watered intermittently. By A. D. Wilson	273

NUMBER 2, MARCH 1970 (*Continued*)

	PAGE
Synthesis of microbial protein in the rumen. I. Influence of the level of nitrogen intake. By I. D. Hume, R. J. Moir, and M. Somers	283
Synthesis of microbial protein in the rumen. II. A response to higher volatile fatty acids. By I. D. Hume	297
Synthesis of microbial protein in the rumen. III. The effect of dietary protein. By I. D. Hume	305
Synthesis of microbial protein in the rumen. IV. The influence of the level and form of dietary sulphur. By I. D. Hume and P. R. Bird	315
Urea excretion in ruminants. I. Studies in sheep and cattle offered the same diet. By R. F. Thornton	323
Urea excretion in ruminants. II. Studies in sheep whose rumen contents were replaced with physiological saline. By R. F. Thornton	337
Urea excretion in ruminants. III. The role of the hind-gut (caecum and colon). By R. F. Thornton, P. R. Bird, M. Somers, and R. J. Moir	345
Fertility of rams heated for 1, 2, 3, and 4 days, mated to superovulated ewes. By A. K. Rathore	355
The effects of different cultivars of subterranean clover (<i>T. subterraneum</i> L.) on sheep reproduction in the south-west of Western Australia. By H. Lloyd Davies, R. C. Rossiter, and R. Maller	359
Control of oestrus and ovulation by progesterone and Cronolone administered either intramuscularly or intravaginally and subsequent fertility. By P. J. Holst and N. W. Moore	371

NUMBER 3, MAY 1970

Effects of vernalization, photoperiod, and temperature on phenological development and spikelet number of Australian wheat. By N. J. Halse and R. N. Weir	383
Response of Mitchell grasses (<i>Astrebla</i> F. Muell.) to photoperiod and temperature. By F. X. Jozwik	395
Plant growth on a low calcium status solodic soil in a subtropical environment. II. Soil cation anisotropy and plant cation balance. By J. S. Russell	407
Nodulation and growth of <i>Medicago truncatula</i> on acid soils. I. Effect of calcium carbonate and inoculation level on the nodulation of <i>Medicago truncatula</i> on a moderately acid soil. By A. D. Robson and J. F. Loneragan	427

NUMBER 3, MAY 1970 (*Continued*)

	PAGE
Nodulation and growth of <i>Medicago truncatula</i> on acid soils. II. Colonization of acid soils by <i>Rhizobium meliloti</i> . By A. D. Robson and J. F. Loneragan	435
Epidemiology of lettuce necrotic yellows virus in South Australia. I. Relationship between disease incidence and activity of <i>Hyperomyzus lactucae</i> (L.). By J. W. Randles and the late N. C. Crowley	447
Nutrient cycling in grazed pastures. III. Studies on labelling of the grazed pasture system by solid [³⁵ S]gypsum and aqueous Mg ³⁵ SO ₄ . By A. R. Till and P. F. May	455
The occurrence of peanut mottle virus in Queensland. By G. M. Behncken	465
Interrelationships of stocking rate and superphosphate rate on pasture as determinants of animal production. I. Continuously grazed old pasture land. By E. D. Carter and H. R. Day	473
Metabolism of pyrrolizidine alkaloids in the ovine rumen. I. Formation of 7 α -hydroxy-1 α -methyl-8 α -pyrrolizidine from heliotrine and lasiocarpine. By G. W. Lanigan and L. W. Smith	493
The effects of increased nitrogen intakes on plasma urea nitrogen and rumen ammonia levels in sheep. By K. H. McIntyre	501
The effects of scrotal heating in the ram on semen characteristics, fecundity, and embryonic mortality. By A. W. H. Braden and P. E. Mattner	509
Chronic ovine hepatitis following feeding of <i>Macrozamia reidleyi</i> nuts. By M. R. Gardiner	519
Genetic and phenotypic parameters for wool characteristics in fine-wool Merino, Corriedale, and Polwarth sheep. II. Phenotypic and genetic correlations, heritability, and repeatability. By P. D. Mullaney, G. H. Brown, S. S. Y. Young, and P. G. Hyland	527
Response to partial selection on clean fleece weight in South Australian strong-wool Merino sheep. II. Associations between production characters, fertility, and three genetic polymorphisms. By O. Mayo, D. W. Cooper, R. E. Brady, and C. W. Hooper	541
Corrigendum	548

NUMBER 4, JULY 1970

Inheritance of the necrotic and mosaic reactions in sorghum infected with a "Johnson grass" strain of sugarcane mosaic virus. By D. S. Teakle, R. F. Moore, D. L. George, and D. E. Byth	549
--	-----

NUMBER 4, JULY 1970 (*Continued*)

	PAGE
Effects of temperature and photoperiod on growth and reproductive development in <i>Hyparrhenia hirta</i> . By J. R. McWilliam, K. Shanker, and R. B. Knox	557
Response to salinity in <i>Glycine</i> . VI. Some effects of a range of short-term salt stresses on the growth, nodulation, and nitrogen fixation of <i>Glycine wightii</i> (formerly <i>javanica</i>). By J. R. Wilson	571
Shoot growth on lucerne plants cut at different heights. By G. J. Leach	583
Physiological and ecological studies on the oestrogenic isoflavones in subterranean clover (<i>T. subterraneum</i> L.). VIII. Phosphate supply in relation to temperature and to leaf development. By R. C. Rossiter	593
Calcium stimulation of phosphate absorption by annual legumes. By A. D. Robson, D. G. Edwards, and J. F. Loneragan	601
The effects of magnesium deficiency on the quality and magnesium content of flue-cured tobacco leaf. By A. Pinkerton	613
The distribution of ¹⁴ C-labelled assimilates in mature lemon trees. By P. E. Kriedemann	623
Metabolism of pyrrolizidine alkaloids in the ovine rumen. II. Some factors affecting rate of alkaloid breakdown by rumen fluid <i>in vitro</i> . By G. W. Lanigan	633
Changes in nitrogen and nucleic acid contents of the liver and muscle of pre-ruminant lambs given high and low protein diets. By B. W. Norton and D. M. Walker	641
Corrigendum	648

NUMBER 5, SEPTEMBER 1970

Meiosis and embryo sac development in <i>Urochloa mosambicensis</i> and three <i>Paspalum</i> species. By A. J. Pritchard	649
The effects of plant density and frequency of cutting on the growth of cocksfoot (<i>Dactylis glomerata</i> L.). II. Yield in the vegetative and reproductive phases. By R. Knight	653
Variation among strains of <i>Phalaris tuberosa</i> L. in nutritive value during summer. By R. J. Clements, R. N. Oram, and W. R. Scowcroft	661
Responses of five pasture species to phosphorus, lime, and nitrogen on an infertile acid soil with a high phosphate sorption capacity. By K. R. Helyar and A. J. Anderson	677

NUMBER 5, SEPTEMBER 1970 (*Continued*)

	PAGE
The nitrogen nutrition of the peach tree. VI. Influence of autumn nitrogen applications on the accumulation of nitrogen, carbohydrate, and macroelements in 1-year-old peach trees. By B. K. Taylor and B. van den Ende	693
The effect of sheep on the recycling of phosphorus in hayed-off pastures. By S. M. Bromfield and O. L. Jones	699
Quantitative aspects of phyto-oestrogen metabolism in sheep fed on subterranean clover (<i>Trifolium subterraneum</i> cultivar Clare) or red clover (<i>Trifolium pratense</i>). By D. A. Shutt, R. H. Weston, and J. P. Hogan ..	713
The effect of starvation and low nitrogen intakes on the concentration of free amino acids in the blood plasma and on the nitrogen metabolism in sheep. By Jane Leibholz	723
Nutritional status and intake regulation in sheep. VI. Evidence for variation in setting of an intake regulatory mechanism relating to the digesta content of the reticulorumen. By A. R. Egan	735
Rumen microbial protein synthesis in relation to energy supply: diurnal variation with once-daily feeding. By D. J. Walker and C. J. Nader ..	747
The determinants of herbage intake by grazing sheep: the interrelationship of factors influencing herbage intake and availability. By W. G. Alden and I. A. McD. Whittaker	755
Fertility following synchronization of oestrus in the sheep with intravaginal sponges. I. Effects of vaginal douche, supplementary steroids, time of insemination, and numbers and dilution of spermatozoa. By T. J. Robinson, N. W. Moore, D. R. Lindsay, I. C. Fletcher, and S. Salamon	767
Fertility following synchronization of oestrus in the sheep with intravaginal sponges. II. Effect of dose of progestagen and rate of absorption. By T. J. Robinson	783
Fertility following synchronization of oestrus in the sheep with intravaginal sponges. III. Effects of supplementary oestrogen during treatment, duration of treatment, and number of inseminations. By T. J. Robinson	793
Effects of single injections of stilboestrol at various stages in the oestrous cycle on behavioural oestrus and ovarian function in Romney ewes. By H. R. Tervit and R. A. S. Welch	801
The effect of pregnant mare serum gonadotrophin and human chorionic gonadotrophin on ovulation and on fertility in the ewe. By I. D. Killeen and N. W. Moore	807

NUMBER 5, SEPTEMBER 1970 (*Continued*)

	PAGE
Comparison of three Australian Merino strains for wool and body traits. I. Genetic means of studs and strains and their interactions with years and sexes. By N. Jackson and E. M. Roberts	815
Comparison of three Australian Merino strains for wool and body traits. II. Estimates of between-stud genetic parameters. By N. Jackson and J. W. James	837
The effect of increased rectal temperature on nitrogen metabolism in Brahman cross and Shorthorn \times Hereford steers fed on a low nitrogen roughage. By J. E. Vercoe and J. E. Frisch	857

NUMBER 6, NOVEMBER 1970

Effects of nitrogen, copper, and zinc fertilizers on the copper and zinc nutrition of wheat plants. By F. M. Chaudhry and J. F. Loneragan	865
The effect of early superphosphate toxicity on the subsequent growth of wheat. By A. S. Bhatti and J. F. Loneragan	881
The effect of leaf removal on flowering time in subterranean clover. By W. J. Collins and Yvonne Aitken	893
Factors affecting uredospore production and dispersal in <i>Tranzschelia discolor</i> . By M. V. Carter, W. J. Moller, and S. M. Pady	905
Duration of susceptibility of apricot pruning wounds to infection by <i>Eutypa</i> <i>armeniaca</i> . By M. V. Carter and W. J. Moller	915
Factors affecting uredospore liberation in <i>Puccinia antirrhini</i> . By M. V. Carter, A. S. J. Yap, and S. M. Pady	921
The effect of saline water ingestion on water turnover rates and tritiated water space in sheep. By G. B. Jones, B. J. Potter, and C. S. W. Reid	927
Urinary sediments in sheep feeding on oestrogenic clover. I. Preliminary observations on changes in certain urinary constituents. By W. H. Parr, P. Steele, B. Gabbedy, and M. C. Nottle	933
Glucose tolerance of sheep as related to post-mortem muscle characteristics. By W. R. Shorthose	939
Some components of reproductive performance of sheep in Victoria. By P. D. Mullaney and G. H. Brown	945
Follicle characteristics in a group of Merino sheep selected up and down for fleece weight. By T. Nay	951

NUMBER 6, NOVEMBER 1970 (*Continued*)

	PAGE
Response to selection in Australian Merino sheep. III. Single character selection for high and low values of wool weight and its components. By Helen Newton Turner, M. G. Brooker, and C. H. S. Dolling ..	955
Assessment of the efficiency of acaricides and their mode of application against the cattle tick <i>Boophilus microplus</i> . By R. H. Wharton, W. J. Roulston, K. B. W. Utech, and J. D. Kerr	985
Index to Volume 21	1007